

OMNI ANTENNA 5700 - 5900 MHz


Features of the 5700 MHz Omni Directional Antenna

- True to Specification Performance to minimize outside interference
- High Performance Design Eliminates Nulls
- Extra Strong UV Resistant Fiberglass Construction - Waterproof
- Stainless Steel Base and Stainless Steel Hardware
- Horizontal Polarization - IEEE 802.11 Compatible
- Lifetime Warranty Female N Connector
- For use with 1.5" - 2.0" Diameter mast/poles (40 - 50 mm)
- 45 to +70 Degrees Centigrade Operating Temperatures
- DC Ground for Lightning Protection
- Rugged U-Bolt Mounting Hardware with Muffler Brace
- Use for 5700 MHz Networks



Shipped Direct from Manufacturer

One Year Warranty, Repair or Replacement, Provided by Manufacturer

OMNI	NLOS
Base Station	ACCESS POINTS
	
SPECIFICATIONS	
Part Number	OM5708H
Frequency Range	5700 - 5900 MHz
Gain	8 dBi
VSWR	1:5:1 Typical
Impedance	50 Ohms
Maximum Power	200 Watts
Beamwidth	20
Polarization	Horizontal
PIM (dBm)	<107
Structure	Aluminum
Wind Velocity	130 mph/210 kmh
Length	26.8"/680 mm
Weight	1.14#/0.52 kg
Fits Mast Size	1.5"-2.0"/40-50 mm
DC Ground	Photo may not be exact model
www.1wirelessway.com	